MASTER*pak*™ MICRO

OVERVIEW:

- · Complete turnkey ultrapure water system
- Product water quality meets Alkaline water electrolysis (AWE) and
 Proton exchange membrane (PEM) electrolysis requirements
- · Low OPEX cost for chemicals, water, electricity and square footage
- Reduced risk of biological loop contamination and potential product contamination
- · Reduced environmental water and energy footprint
- · Integrated controls system
- · Reduced capital and operational costs
- Supported by MECO full range of on-site services, including service
 deionization tanks that are regenerated in a dedicated plant, eliminating
 the risk of loop contamination from co-mixing resin with an industrial or
 water reuse application.
- Reduced noise level at 60 dB versus competitors at 80 dB
- · Backed by warranty

PRODUCT HIGHLIGHTS:

Standard Features and Equipment Details

- · ASTM Type I, II, III, and IV Grade Water Quality
- Makeup or generation capacities from 1,000 30,000 GPD
- · Recirculation with quiet, VFD-controlled distribution pump
- Optional high intensity 185/254nm UV for ultra low TOC values
- Up to 50% lower power consumption
- Optional storage tank sizes
- · Sanitary system design with Infrared Heat-fused polypropylene piping
- · Instrumentation for continuous monitoring



MODEL	CAPACITY IN GPM
MPo.5M	3-5
MP1M	8-12
MP1.5M	20-35
MP2M	30-50
MP2.5M	45-70
MP3M	60-90





San Diego, CA - 858.499.0119